

## First Publications – DEKORP 1990-3B/MVE (East)

- DEKORP Research Group (1994). The deep reflection seismic profiles DEKORP 3/MVE-90. *Z. geol. Wiss.*, 22 (6), 627 – 825.
- DEKORP Research Group (B), Behr, H.-J., Dürbaum, H.-J., Bankwitz, P. (Editors) et al. (1994). Crustal structure of the Saxothuringian Zone: Results of the deep seismic profile MVE-90(East). *Z. geol. Wiss.*, 22 (6), 647 – 769.
- Förste, K., Lück, E. & Schulze, A. (1994). Wide angle measurements along the profile MVE-90(East) and additional seismic investigations. *Z. geol. Wiss.*, 22 (6), 803 – 824. [https://gfzpublic.gfz-potsdam.de/pubman/item/item\\_237234](https://gfzpublic.gfz-potsdam.de/pubman/item/item_237234)

## Other Publications – DEKORP 1990-3B/MVE (East)

- Bleibinhaus, F., Stich, D., Simon, M. & Gebrande, H. (2003). New results from amplitude preserving prestack depth migration of the Munchberg/Vogtland segment of the MVE deep seismic survey. *Journal for Geodynamics*, 35, 33 – 43. doi: [10.1016/S0264-3707\(02\)00052-2](https://doi.org/10.1016/S0264-3707(02)00052-2)
- Bräuer, K., Kämpf, H., Strauch, G. & Weise, St. M. (2003). Isotopic evidence ( $^3\text{He}/^4\text{He}$ ,  $^{13}\text{C}_{\text{CO}_2}$ ) of fluid-triggered intraplate seismicity. *J. Geophys. Res.*, 108 (B2), 2070. doi: [10.1029/2002JB002077](https://doi.org/10.1029/2002JB002077)
- DEKORP & Orogenic Processes Working Groups (1999). Structure of the Saxonian Granulites: Geological and geophysical constraints on the exhumation of high-pressure/high-temperature rocks in the mid-European Variscan belt. *Tectonics*, 18 (5), 756 – 773. doi: [10.1029/1999TC900030](https://doi.org/10.1029/1999TC900030)
- Hrubcova, P. & Geissler, W.H. (2009). The Crust-Mantle Transition and the Moho beneath the Vogtland/West Bohemian Region in the Light of Different Seismic Methods. *Stud. Geophys. Geod.*, 53, 275 – 294. doi: [10.1007/s11200-009-0018-6](https://doi.org/10.1007/s11200-009-0018-6)
- Krawczyk, C.M., Stein, E., Choi, S., Oettinger, G., Schuster, K., Götze, H.-J., Haak, V., Oncken, O., Prodehl, C. & Schulze, A. (2000). Geophysical constraints on exhumation mechanisms of high-pressure rocks: the Saxo-Thuringian case between the Franconian Line and Elbe Zone. *Geological Society, Special Publications*, 179, 303 – 322. doi: [10.1144/GSL.SP.2000.179.01.18](https://doi.org/10.1144/GSL.SP.2000.179.01.18)
- LfULG (2011). Tiefengeothermie Sachsen. Schriftenreihe, Heft 9, 108 p. <https://publikationen.sachsen.de/bdb/artikel/15145>
- Lüschen, E., Görne, S., Hartmann, H. v., Thomas, R. & Schulz, R. (2015). Petrothermale Geothermie im Erzgebirge: Vom geologischen Vormodell zur Exploration mit 3D-Seismik. Beitrag “Der Geothermiekongress DGK 2015”, Essen. <https://www.leibniz-liag.de/fileadmin/produkte/20151124113119.pdf>
- Malek, J., Horalek, J. & Jansky, J. (2005). One-Dimensional qP-Wave Velocity Model of the Upper Crust for the West Bohemia/Vogtland Earthquake Swarm Region. *Stud Geophys Geod*, 49, 501 – 524. doi: [10.1007/s11200-005-0024-2](https://doi.org/10.1007/s11200-005-0024-2)
- Mueller, H.J. (1995). Modelling the lower crust by simulation of the in situ conditions: an example from the Saxonian Erzgebirge. *Physics of the Earth and Planetary Interiors*, 92, 3 – 15. doi: [10.1016/0031-9201\(95\)03055-2](https://doi.org/10.1016/0031-9201(95)03055-2)
- Novotný, M. (2012). Depth-Recursive Tomography of the Bohemian Massif at the CEL09 Transect— Part B: Interpretation. *Surv Geophys*, 33, 243 – 273. doi: [10.1007/s10712-011-9155-x](https://doi.org/10.1007/s10712-011-9155-x)
- Polom, U. (1997). Elimination of source-generated noise from correlated vibroseis data (the “ghost-sweep” problem). *Geophysical Prospecting*, 45, 571 – 591. doi: [10.1046/j.1365-2478.1997.490283.x](https://doi.org/10.1046/j.1365-2478.1997.490283.x)